


EXAMPLE 7**Solving Equations Using a Graphing Utility**Solve: $x + e^x = 2$

Express the solution(s) rounded to two decimal places.

Figure 43

**Solution**

The solution is found by graphing $Y_1 = x + e^x$ and $Y_2 = 2$. Since Y_1 is an increasing function (do you know why?), there is only one point of intersection for Y_1 and Y_2 . Figure 43 shows the graphs of Y_1 and Y_2 . Using the INTERSECT command reveals that the solution is 0.44, rounded to two decimal places. ●

➡ **Now Work** PROBLEM 71

4.6 Assess Your Understanding

Are You Prepared?' Answers are given at the end of these exercises. If you get a wrong answer, read the pages listed in red.

- Solve $x^2 - 7x - 30 = 0$. (pp. 137–143)
- Solve $(x + 3)^2 - 4(x + 3) + 3 = 0$. (pp. 144–145)
- Approximate the solution(s) to $x^3 = x^2 - 5$ using a graphing utility. (pp. B6–B7)
- Approximate the solution(s) to $x^3 - 2x + 2 = 0$ using a graphing utility. (pp. B6–B7)

Skill Building

In Problems 5–40, solve each logarithmic equation. Express any irrational solution in exact form and as a decimal rounded to three decimal places.

- $\log_4 x = 2$
- $\log_3(3x - 1) = 2$
- $\frac{1}{2} \log_3 x = 2 \log_3 2$
- $2 \log_5 x = 3 \log_5 4$
- $\log x + \log(x + 15) = 2$
- $\log(2x) - \log(x - 3) = 1$
- $\log_8(x + 6) = 1 - \log_8(x + 4)$
- $\ln(x + 1) - \ln x = 2$
- $\log_{1/3}(x^2 + x) - \log_{1/3}(x^2 - x) = -1$
- $\log_a(x - 1) - \log_a(x + 6) = \log_a(x - 2) - \log_a(x + 3)$
- $2 \log_5(x - 3) - \log_5 8 = \log_5 2$
- $2 \log_6(x + 2) = 3 \log_6 2 + \log_6 4$
- $2 \log_{13}(x + 2) = \log_{13}(4x + 7)$
- $(\log_3 x)^2 - 5(\log_3 x) = 6$
- $\log(x + 6) = 1$
- $\log_4(x + 2) = \log_4 8$
- $-2 \log_4 x = \log_4 9$
- $3 \log_2(x - 1) + \log_2 4 = 5$
- $\log x + \log(x - 21) = 2$
- $\log_2(x + 7) + \log_2(x + 8) = 1$
- $\log_5(x + 3) = 1 - \log_5(x - 1)$
- $\log_3(x + 1) + \log_3(x + 4) = 2$
- $\log_2(5x) = 4$
- $\log_5(2x + 3) = \log_5 3$
- $3 \log_2 x = -\log_2 27$
- $2 \log_3(x + 4) - \log_3 9 = 2$
- $\log(2x + 1) = 1 + \log(x - 2)$
- $\log_6(x + 4) + \log_6(x + 3) = 1$
- $\ln x + \ln(x + 2) = 4$
- $\log_2(x + 1) + \log_2(x + 7) = 3$
- $\log_4(x^2 - 9) - \log_4(x + 3) = 3$
- $\log_a x + \log_a(x - 2) = \log_a(x + 4)$
- $\log_3(x) - 2 \log_3 5 = \log_3(x + 1) - 2 \log_3 10$
- $3(\log_7 x - \log_7 2) = 2 \log_7 4$
- $\log(x - 1) = \frac{1}{3} \log 2$
- $\ln x - 3\sqrt{\ln x + 2} = 0$

In Problems 41–68, solve each exponential equation. Express any irrational solution in exact form and as a decimal rounded to three decimal places.

- $2^{x-5} = 8$
- $5^{-x} = 25$
- $2^x = 10$
- $3^x = 14$
- $8^{-x} = 1.2$
- $2^{-x} = 1.5$
- $5(2^{3x}) = 8$
- $0.3(4^{0.2x}) = 0.2$
- $3^{1-2x} = 4^x$
- $2^{x+1} = 5^{1-2x}$
- $\left(\frac{3}{5}\right)^x = 7^{1-x}$
- $\left(\frac{4}{3}\right)^{1-x} = 5^x$
- $1.2^x = (0.5)^{-x}$
- $0.3^{1+x} = 1.7^{2x-1}$
- $\pi^{1-x} = e^x$
- $e^{x+3} = \pi^x$
- $2^{2x} + 2^x - 12 = 0$
- $3^{2x} + 3^x - 2 = 0$
- $3^{2x} + 3^{x+1} - 4 = 0$
- $2^{2x} + 2^{x+2} - 12 = 0$
- $16^x + 4^{x+1} - 3 = 0$
- $9^x - 3^{x+1} + 1 = 0$
- $25^x - 8 \cdot 5^x = -16$
- $36^x - 6 \cdot 6^x = -9$
- $3 \cdot 4^x + 4 \cdot 2^x + 8 = 0$
- $2 \cdot 49^x + 11 \cdot 7^x + 5 = 0$
- $4^x - 10 \cdot 4^{-x} = 3$
- $3^x - 14 \cdot 3^{-x} = 5$

In Problems 69–82, use a graphing utility to solve each equation. Express your answer rounded to two decimal places.

- $\log_5(x + 1) - \log_4(x - 2) = 1$
- $\log_2(x - 1) - \log_6(x + 2) = 2$
- $e^x = -x$
- $e^{2x} = x + 2$
- $e^x = x^2$
- $e^x = x^3$

75. $\ln x = -x$

76. $\ln(2x) = -x + 2$

77. $\ln x = x^3 - 1$

78. $\ln x = -x^2$

79. $e^x + \ln x = 4$

80. $e^x - \ln x = 4$

81. $e^{-x} = \ln x$

82. $e^{-x} = -\ln x$

Mixed Practice

In Problems 83–96, solve each equation. Express irrational solutions in exact form and as a decimal rounded to three decimal places.

83. $\log_9(7x - 5) = \log_3(x + 1)$

84. $\log_2(x + 1) - \log_4 x = 1$

85. $\log_2(3x + 2) - \log_4 x = 3$

[Hint: Change $\log_9(7x - 5)$ to base 3.]

86. $\log_{16} x + \log_4 x + \log_2 x = 7$

87. $\log_9 x + 3 \log_3 x = 14$

88. $2(\log_4 x)^2 + 3 \log_8 x = \log_2 16$

89. $(\sqrt[3]{2})^{2-x} = 2^2$

90. $\log_2 x^{\log_2 x} = 4$

91. $\frac{e^x + e^{-x}}{2} = 1$

[Hint: Multiply each side by e^x .]

92. $\frac{e^x + e^{-x}}{2} = 3$

93. $\frac{e^x - e^{-x}}{2} = 2$

94. $\frac{e^x - e^{-x}}{2} = -2$

95. $\log_5 x + \log_3 x = 1$

96. $\log_2 x + \log_6 x = 3$

[Hint: Use the Change-of-Base Formula.]

97. $f(x) = \log_2(x + 3)$ and $g(x) = \log_2(3x + 1)$.

(a) Solve $f(x) = 3$. What point is on the graph of f ?

(b) Solve $g(x) = 4$. What point is on the graph of g ?

(c) Solve $f(x) = g(x)$. Do the graphs of f and g intersect? If so, where?

(d) Solve $(f + g)(x) = 7$.

(e) Solve $(f - g)(x) = 2$.

98. $f(x) = \log_3(x + 5)$ and $g(x) = \log_3(x - 1)$.

(a) Solve $f(x) = 2$. What point is on the graph of f ?

(b) Solve $g(x) = 3$. What point is on the graph of g ?

(c) Solve $f(x) = g(x)$. Do the graphs of f and g intersect? If so, where?

(d) Solve $(f + g)(x) = 3$.

(e) Solve $(f - g)(x) = 2$.

99. (a) Graph $f(x) = 3^{x+1}$ and $g(x) = 2^{x+2}$, on the same Cartesian plane.

(b) Find the point(s) of intersection of the graphs of f and g by solving $f(x) = g(x)$. Round answers to three decimal places. Label any intersection points on the graph drawn in part (a).

(c) Based on the graph, solve $f(x) > g(x)$.

100. (a) Graph $f(x) = 5^{x-1}$ and $g(x) = 2^{x+1}$, on the same Cartesian plane.

(b) Find the point(s) of intersection of the graphs of f and g by solving $f(x) = g(x)$. Label any intersection points on the graph drawn in part (a).

(c) Based on the graph, solve $f(x) > g(x)$.

101. (a) Graph $f(x) = 3^x$ and $g(x) = 10$ on the same Cartesian plane.

(b) Shade the region bounded by the y -axis, $f(x) = 3^x$, and $g(x) = 10$ on the graph drawn in part (a).

(c) Solve $f(x) = g(x)$ and label the point of intersection on the graph drawn in part (a).

102. (a) Graph $f(x) = 2^x$ and $g(x) = 12$ on the same Cartesian plane.

(b) Shade the region bounded by the y -axis, $f(x) = 2^x$, and $g(x) = 12$ on the graph drawn in part (a).

(c) Solve $f(x) = g(x)$ and label the point of intersection on the graph drawn in part (a).

103. (a) Graph $f(x) = 2^{x+1}$ and $g(x) = 2^{-x+2}$ on the same Cartesian plane.

(b) Shade the region bounded by the y -axis, $f(x) = 2^{x+1}$, and $g(x) = 2^{-x+2}$ on the graph drawn in part (a).

(c) Solve $f(x) = g(x)$ and label the point of intersection on the graph drawn in part (a).

104. (a) Graph $f(x) = 3^{-x+1}$ and $g(x) = 3^{x-2}$ on the same Cartesian plane.

(b) Shade the region bounded by the y -axis, $f(x) = 3^{-x+1}$, and $g(x) = 3^{x-2}$ on the graph drawn in part (a).

(c) Solve $f(x) = g(x)$ and label the point of intersection on the graph drawn in part (a).

105. (a) Graph $f(x) = 2^x - 4$.

(b) Find the zero of f .

(c) Based on the graph, solve $f(x) < 0$.

106. (a) Graph $g(x) = 3^x - 9$.

(b) Find the zero of g .

(c) Based on the graph, solve $g(x) > 0$.

Applications and Extensions

107. **A Population Model** The resident population of the United States in 2013 was 316 million people and was growing at a rate of 0.8% per year. Assuming that this growth rate continues, the model $P(t) = 316(1.008)^{t-2013}$ represents the population P (in millions of people) in year t .

(a) According to this model, when will the population of the United States be 419 million people?

(b) According to this model, when will the population of the United States be 490 million people?

Source: U.S. Census Bureau



108. **A Population Model** The population of the world in 2013 was 7.13 billion people and was growing at a rate of 1.1% per year. Assuming that this growth rate continues, the model $P(t) = 7.13(1.011)^{t-2013}$ represents the population P (in billions of people) in year t .

- (a) According to this model, when will the population of the world be 10 billion people?
 (b) According to this model, when will the population of the world be 12.2 billion people?

Source: U.S. Census Bureau

109. **Depreciation** The value V of a Chevy Cruze LT that is t years old can be modeled by $V(t) = 18,700(0.84)^t$.

- (a) According to the model, when will the car be worth \$9000?
 (b) According to the model, when will the car be worth \$6000?
 (c) According to the model, when will the car be worth \$2000?

Source: Kelley Blue Book



110. **Depreciation** The value V of a Honda Civic LX that is t years old can be modeled by $V(t) = 18,955(0.905)^t$.

- (a) According to the model, when will the car be worth \$16,000?
 (b) According to the model, when will the car be worth \$10,000?
 (c) According to the model, when will the car be worth \$7500?

Source: Kelley Blue Book

Discussion and Writing

111. Fill in a reason for each step in the following two solutions.

Solve: $\log_3(x - 1)^2 = 2$

Solution A

$$\log_3(x - 1)^2 = 2$$

$$(x - 1)^2 = 3^2 = 9$$

$$(x - 1) = \pm 3$$

$$x - 1 = -3 \text{ or } x - 1 = 3$$

$$x = -2 \text{ or } x = 4$$

Solution B

$$\log_3(x - 1)^2 = 2$$

$$2 \log_3(x - 1) = 2$$

$$\log_3(x - 1) = 1$$

$$x - 1 = 3^1 = 3$$

$$x = 4$$

Both solutions given in Solution A check. Explain what caused the solution $x = -2$ to be lost in Solution B.

Retain Your Knowledge

Problems 112–115 are based on material learned earlier in the course. The purpose of these problems is to keep the material fresh in your mind so that you are better prepared for the final exam.

112. Solve: $4x^3 + 3x^2 - 25x + 6 = 0$.

113. Find the domain of

$$f(x) = \sqrt{x + 3} + \sqrt{x - 1}$$

114. For $f(x) = \frac{x}{x - 2}$ and $g(x) = \frac{x + 5}{x - 3}$, find $f \circ g$. Then find the domain of $f \circ g$.

115. Determine whether the function $\{(0, -4), (2, -2), (4, 0), (6, 2)\}$ is one-to-one.

'Are You Prepared?' Answers

1. $\{-3, 10\}$

2. $\{-2, 0\}$

3. $\{-1.43\}$

4. $\{-1.77\}$

4.7 Financial Models

PREPARING FOR THIS SECTION Before getting started, review the following:

- Simple Interest (Appendix A, Section A.9, pp. A73–A74)

Now Work the 'Are You Prepared?' problems on page 349.

- OBJECTIVES**
- Determine the Future Value of a Lump Sum of Money (p. 340)
 - Calculate Effective Rates of Return (p. 343)
 - Determine the Present Value of a Lump Sum of Money (p. 344)
 - Determine the Rate of Interest or the Time Required to Double a Lump Sum of Money (p. 345)